



WEY G9

FIRST CLASS FOR ALL

DATO' SRI SITI NURHALIZA,
GWM WEY G9 AMBASSADOR



FIRST 1,000 OWNERS

FREE

15.6" Rear Entertainment Screen
(Installation Included)

FREE

Wallbox Home
Charger

FREE

5 Years Vehicle
Telematics Service

6

YEARS
Unlimited Mileage
Vehicle Warranty

8

YEARS
/ 180,000KM
Power Battery, Electric Motor and
Electric Motor Control Unit Warranty

5

YEARS
FREE Maintenance
(Including Parts and Labour)

RM3,000 REBATE

GWM Owners Loyalty Offer

Selling Price (With SST) _____ RM273,380

Road Tax (1 Year) _____ RM60

Registration Fee _____ RM60

HP Ownership Fee _____ RM50

Number Plate Fee _____ RM100

On The Road Price (Without Insurance) _____ RM273,650

Recommended Sum Insured _____ RM273,000


Price is valid in Sabah and Sarawak EXCEPT LABUAN.

Registration fee listed above is for Malaysians only. Fees may differ for non-Malaysians. Price and Specification are subject to change without prior notice.

The Price/Offer is not applicable with other promotions unless stated otherwise.

Terms and conditions apply.

FIRST ROW




14.6-inch Infotainment Display with Wireless Apple CarPlay® and Android Auto™

SECOND ROW



- Nappa Leather Zero Gravity Seats
- 10-point Massage
- Seat Ventilation

THIRD ROW



Spacious Multi-layer Cushioning

- 21-Speaker
- 2,440 W Peak Power Cinema-level Audio



3.3 kW V2L (Vehicle-to-Load) External Power Supply

- Double Opening Cold and Warm Refrigerator (0~50 °C)
- 24-hour Off Vehicle Temperature Retention




1,350 mm Tall Door Height
Allows natural, upright entry.

Flat Floor Design
Creates a smooth, level walkway for easier movement across the cabin.

370 mm Low Step-in Height
Makes getting in and out easy for all ages.

791 mm Extra-wide Door Opening
Designed for effortless entry and exit.

2nd & 3rd Row Flexible Common Rail System
Provides flexible cargo capacity ranging from 233 L to 1,725 L.





- 12 Ultrasonic Radars
- 2 Millimetre-wave Radars
- 6 Cameras



- Level 2 Advanced Driving Assistance Systems (ADAS)
- Fully Automated Integrated Parking

12-Ton
Roof Pressure Resistance

1,500 MPa
Hot-stamped Tube

2,000 MPa
High Strength Steel at A&B Pillar

83.01%
Full-vehicle High Strength Materials Proposition

3,107mm

**3,107 mm Side Air Curtains
6-second Pressure-retaining**

89
BATTERY TEST PASSED

**Side 4-layer + Bottom 6-layer
Extra Safety Battery Protection**

APPLICATION FEATURES

Sunroof Status

Lock Status

Door Status

Remote Seat Ventilation

Remote Window Control + Status

Tyre Temperature and Pressure Status

Vehicle Charging Status


Remote Air Conditioning Control + Status

Vehicle Location

SCAN TO DOWNLOAD THE APP

Powered By **Hi4**

H (Hybrid) i (Intelligent) 4 (4WD)



442 PS
Maximum
Combined
Power

642 N.m
Maximum
Combined
Torque

5.7 s
0-100 km/h

44.2 kWh
Battery
Capacity

170 km
Pure Electric
Driving Range
(NEDC)

1,000 km+
Combined
Driving Range
(NEDC)

COLOR AND DIMENSION




WHEEL



18" Alloy Wheel

INTERIOR COLOUR



Brown Interior with Grey Roof



Black Interior with Grey Roof

Visit a GWM showroom today to find out more.



GWM Malaysia



gwm.com.my

Contact us today

customer service
1800 18 2882

email
support@gwm.com.my

GREAT WALL MOTOR SALES MALAYSIA SDN. BHD
202201006564 (1452261-V)

Notice:

The specifications, product information, or images displayed herein are for illustration purposes only. Some of the product and service information, illustrations and images contained herein may have been prepared for generic use and the actual products may vary from those displayed herein, owing to technical limitations.

The illustrations may show accessories, optional equipment, or other features which are not part of the standard specification or service scope available in Malaysia, and the company reserves the right to change all information, specifications and illustrations without prior notice. For safety and efficiency in use, please refer to the manual before use. The company shall not be responsible for discrepancies or differences between the illustrations displayed in this specification and standard equipment and the actual product.